



C Olsen &lt;crosby.olsen@gmail.com&gt;

---

## Pre Application Letter

---

**Ann Hillier** <ahillier@bainbridgewa.gov>

Wed, Jul 25, 2018 at 4:56 PM

To: Crosby Olsen &lt;crosby.olsen@gmail.com&gt;

Hi Crosby,

The Director has agreed to waive the requirement to have the wetland boundaries surveyed by a licensed surveyor. We do expect the wetland boundaries to be delineated and mapped by a professional biologist using a GPS system, which I know has already been done. The delineation and rating will require review and verification by the City upon RUE submittal. Fencing to mark the wetland/buffer edge can also be expected as a recommended condition of approval, just FYI.

Feel free to submit this email with your RUE submittal, for documentation. I will also be sure to save it.

Thank you,

Annie Hillier

City Planner

[www.bainbridgewa.gov](http://www.bainbridgewa.gov)

[facebook.com/citybainbridgeisland/](https://facebook.com/citybainbridgeisland/)

206.780.3773 (office) 206.780.0955 (fax)

-----Original Message-----

From: Crosby Olsen <crosby.olsen@gmail.com>

Sent: Monday, July 23, 2018 11:43 AM

To: Ann Hillier <ahillier@bainbridgewa.gov>

[Quoted text hidden]