



HYDRAULIC PROJECT APPROVAL

Washington Department of
Fish & Wildlife
PO Box 43234
Olympia, WA 98504-3234
(360) 902-2200

Issued Date: April 26, 2018
Project End Date: February 15, 2023

Permit Number: 2018-6-177+01
FPA/Public Notice Number: N/A
Application ID: 14375

PERMITTEE	AUTHORIZED AGENT OR CONTRACTOR
Matt Parent 5482 NE Fletcher Landing Bainbridge Island, WA 98110	Shoreline Solutions ATTENTION: Leann McDonald 9784 NE Lafayette Ave Bainbridge Island, WA 98110-4120

Project Name: Parent Dock Repair/Replacement

Project Description: Replace two creosote piling with 10" galv. steel piling. Replace 3'6" by 41' solid surface ramp with new fully grated aluminum ramp.
Summary:
Remove two creosote piling. Install two 10" galvanized steel pier support piling
- Remove old 3'6" x 41' solid surface ramp and install pre-fabricated, fully grated aluminum pier (3'6"-foot x 41-foot)
- Install new fully grated aluminum drop down stairway at the northeast corner of the existing deck.
- Install new grating and decking on the float, and replace floatation. The improved float will have 50% functional grating with 60% light penetration.

PROVISIONS

1. **AUTHORIZED WORK TIMES - TIMING LIMITATION:** Your project site is located within a juvenile salmonid migration area. To protect fish and shellfish habitats at the job site, work below the ordinary high water line must occur from August 1 and February 15 of any year.

2. **APPROVED PLANS:** Work must be accomplished per plans and specifications submitted with the application and approved by the Washington Department of Fish and Wildlife, entitled parent plan Elve View, dated 12/28/2017, and received on 04/05/2018 except as modified by this Hydraulic Project Approval. You must have a copy of these plans available on site during all phases of the project construction.

NOTIFICATION

3. **PRE- AND POST-CONSTRUCTION NOTIFICATION:** You, your agent, or contractor must contact the Washington Department of Fish and Wildlife by e-mail at HPAapplications@dfw.wa.gov; mail to Post Office Box 43234, Olympia, Washington 98504-3234; or fax to (360) 902-2946 at least three business days before starting work, and again within seven days after completing the work. The notification must include the permittee's name, project location, starting date for work or date the work was completed, and the permit number. The Washington Department of Fish and Wildlife may conduct inspections during and after construction; however, the Washington Department of Fish and Wildlife will notify you or your agent before conducting the inspection.

4. **FISH KILL/ WATER QUALITY PROBLEM NOTIFICATION:** If a fish kill occurs or fish are observed in distress at the job site, immediately stop all activities causing harm. Immediately notify the Washington Department of Fish and Wildlife of the problem. If the likely cause of the fish kill or fish distress is related to water quality, also notify the Washington Military Department Emergency Management Division at 1-800-258-5990. Activities related to the fish kill or fish distress must not resume until the Washington Department of Fish and Wildlife gives approval. The Washington



HYDRAULIC PROJECT APPROVAL

Washington Department of
Fish & Wildlife
PO Box 43234
Olympia, WA 98504-3234
(360) 902-2200

Issued Date: April 26, 2018
Project End Date: February 15, 2023

Permit Number: 2018-6-177+01
FPA/Public Notice Number: N/A
Application ID: 14375

Department of Fish and Wildlife may require additional measures to mitigate impacts.

STAGING, JOB SITE ACCESS AND EQUIPMENT

5. Establish the staging area (used for activities such as equipment storage, vehicle storage, fueling, servicing, and hazardous material storage) in a location and manner that will prevent contaminants like petroleum products, hydraulic fluid, fresh concrete, sediments, sediment-laden water, chemicals, or any other toxic or harmful materials from entering waters of the state.
6. Clearly mark boundaries to establish the limit of work associated with site access and construction.
7. Confine the use of equipment to specific access and work corridor shown in the approved plans.
8. Check equipment daily for leaks and complete any required repairs before using the equipment in or near the water.
9. Lubricants composed of biodegradable base oils such as vegetable oils, synthetic esters, and polyalkylene glycols are recommended for use in equipment operated in or near water.
10. Operate vessels with minimal propulsion power to avoid prop scour damage to the bed and marine vegetation habitats.
11. Do not deploy anchors or spuds in seagrass or kelp.
12. Maintain anchor cable tension, set and retrieve anchors vertically, and prevent mooring cables from dragging to avoid impacts to seagrass and kelp.
13. Relocate vessels moored over seagrass between March 21 and September 21 every 4th day to minimize shading of seagrass.

CONSTRUCTION-RELATED SEDIMENT, EROSION AND POLLUTION CONTAINMENT

14. Prevent contaminants from the project, such as petroleum products, hydraulic fluid, fresh concrete, sediments, sediment-laden water, chemicals, or any other toxic or harmful materials, from entering or leaching into waters of the state.
15. Use tarps or other methods to prevent treated wood, sawdust, trimmings, drill shavings and other debris from contacting the bed or waters of the state.

CONSTRUCTION MATERIALS

16. To prevent leaching, construct forms to contain any wet concrete. Place impervious material over any exposed wet concrete that will come in contact with waters of the state. Forms and impervious materials must remain in place until the concrete is cured.
17. Do not use wood treated with oil-type preservative (creosote, pentachlorophenol) in any hydraulic project. Wood treated with waterborne preservative chemicals (ACZA, ACQ) may be used if the Western Wood Preservers Institute has approved the waterborne chemical for use in the aquatic environment. The manufacturer must follow the Western Wood Preservers Institute guidelines and the best management practices to minimize the preservative migrating from treated wood into aquatic environments. To minimize leaching, wood treated with a preservative by someone other than a manufacturer must follow the field treating guidelines. These guidelines and best management practices are available at www.wwpinstitute.org.



HYDRAULIC PROJECT APPROVAL

Washington Department of
Fish & Wildlife
PO Box 43234
Olympia, WA 98504-3234
(360) 902-2200

Issued Date: April 26, 2018
Project End Date: February 15, 2023

Permit Number: 2018-6-177+01
FPA/Public Notice Number: N/A
Application ID: 14375

PIER, RAMP AND FLOAT

18. Remove the existing pier, ramp and float and associated materials from waters of the state. Do not relocate the structure within waters of the state without written authorization from Washington Department of Fish and Wildlife.
19. This approval is for the repair/replacement of the existing structure only and does not authorize the expansion of the structure.
20. The pier, ramp, and float structure must not exceed a total length of 41 feet.
21. The structure must not exceed the following widths; the 3 foot 6 inch wide 41 foot long ramp (with 100% grated and 60% open area) and the 10foot by 40 foot 8 inch long float (with 50% functional grating 60% open area).
22. The structure must include functional grating. The grating material's open area must be at least sixty percent.
 - a. Grating installed perpendicular to the length of the pier must be evenly spaced along the length of the pier and cover at least fifty percent of the deck areas.
 - b. The ramp must have one hundred percent of the entire deck surface covered in functional grating.
 - c. The float must have at least fifty percent of the entire deck surface covered in functional grating. Orient grating so the lengthwise opening maximizes the amount of light penetration. Any objects that are not part of the structure on, above, or below the grating should not block light penetration. Flotation must be located under the solid decked area only.
23. The bottom of the float must be at least one foot above the substrate so that the structure will not rest on the bottom.
24. Anchor lines must not rest on the substrate at any time.
25. Fully enclose and contain flotation for the structure in a shell (tub). The shell or wrap must prevent breakup or loss of the flotation material into the water. The shell or wrap must not be readily subject to damage by ultraviolet radiation and abrasion.
26. Do not construct skirting, including batter fencing, around piers, docks or floats.
27. Use low-intensity lights that are located and shielded to prevent light from reaching the water surface.
28. Use of treated wood for decking is not authorized, but may be used for structural elements. Treated wood subject to abrasion by vessels, floats, or other objects must incorporate approved design features such as rub strips to minimize abrasion of the wood. Use of tires is not approved unless proper post-treatment for aquatic environments is performed.

PILE REMOVAL, DRIVING

29. Remove the 2 existing creosote piling and dispose of them in an upland area above extreme high tide waters unless the material is approved by the Washington Department of Fish and Wildlife for reuse in the project.
30. As specified in the approved plans, the 2 new pilings must be 10 – inch diameter steel/recycled plastic/Chemonite (ACZA) pilings.
31. Do not use wood treated with oil-type preservative (creosote, pentachlorophenol) in any hydraulic project. Wood treated with waterborne preservative chemicals (ACZA, ACQ) may be used if approved by the Western Wood Preservers Institute for use in the aquatic environment. Any use of treated wood in the aquatic environment must follow guidelines and best management practices available at www.wwpinstitute.org.



HYDRAULIC PROJECT APPROVAL

Washington Department of
Fish & Wildlife
PO Box 43234
Olympia, WA 98504-3234
(360) 902-2200

Issued Date: April 26, 2018
Project End Date: February 15, 2023

Permit Number: 2018-6-177+01
FPA/Public Notice Number: N/A
Application ID: 14375

32. Incorporate features, such as steel, plastic or rubber collars, fendering or other systems to prevent or minimize the abrasion of the treated wood by floats, ramps or vessels. Do not use rubber tires for the fender system.

33. Attach rubbing strips made of ultra high molecular weight (UHMW) type plastic, or high density polyethylene (HDPE) type plastic to the replacement fender system. Do not use rubber tires for the fender system.

34. Fit all pilings with devices to prevent perching by fish-eating birds.

35. The use of both a vibratory and/or an impact hammer is authorized for piling installation under this Hydraulic Project Approval, however a vibratory driver is preferred.

36. Use appropriate sound attenuation when driving or proofing steel piling with an impact hammer.

a. For driving or proofing steel piling, 10 inches in diameter or less, install a 6 inch thick wood block, plastic or rubber between the piling and the impact hammer during impact pile driving operations or install a pile sleeve or bubble curtain around the piling during impact pile driving operations that distributes air bubbles around 100% of the perimeter of the piling over the full depth of the water column.

37. To avoid attracting fish to artificial light at night, limit impact pile driving to daylight hours whenever feasible.

DEMOBILIZATION/CLEANUP

38. Remove all trash and unauthorized fill in the project area, including concrete blocks or pieces, bricks, asphalt, metal, treated wood, glass, floating debris, and paper, that is waterward of the ordinary high water line and deposit upland.

39. Reshape beach area depressions created during project activities to preproject beach level upon project completion.

40. Remove all debris or deleterious material resulting from construction from the beach area or bed and prevent from entering waters of the state.

41. Do not burn wood, trash, waste, or other deleterious materials waterward of the ordinary high water line.

LOCATION #1:	Site Name: Parent Dock Improvement 5482 NE Fletcher Landing, Bainbridge Island, WA 98110					
WORK START:	April 26, 2018			WORK END:	February 15, 2023	
<u>WRIA</u>		<u>Waterbody:</u>			<u>Tributary to:</u>	
15 - Kitsap		Unknown Stream Number			Unknown	
<u>1/4 SEC:</u>	<u>Section:</u>	<u>Township:</u>	<u>Range:</u>	<u>Latitude:</u>	<u>Longitude:</u>	<u>County:</u>
	20	25 N	02 E	47.643153	-122.576419	Kitsap
<u>Location #1 Driving Directions</u>						



HYDRAULIC PROJECT APPROVAL

Washington Department of
Fish & Wildlife
PO Box 43234
Olympia, WA 98504-3234
(360) 902-2200

Issued Date: April 26, 2018
Project End Date: February 15, 2023

Permit Number: 2018-6-177+01
FPA/Public Notice Number: N/A
Application ID: 14375

From Winslow, North on Madison Ave., Left onto High School Rd. Go 1.8 mile. Right onto Fletcher Bay Rd NE. At stop sign, turn left onto NE Fletcher Bay Rd. Turn left onto Foster Rd. Turn right onto Hanson, then right onto NE Fletcher Landing. 5482 is on the left

APPLY TO ALL HYDRAULIC PROJECT APPROVALS

This Hydraulic Project Approval pertains only to those requirements of the Washington State Hydraulic Code, specifically Chapter 77.55 RCW. Additional authorization from other public agencies may be necessary for this project. The person(s) to whom this Hydraulic Project Approval is issued is responsible for applying for and obtaining any additional authorization from other public agencies (local, state and/or federal) that may be necessary for this project.

This Hydraulic Project Approval shall be available on the job site at all times and all its provisions followed by the person(s) to whom this Hydraulic Project Approval is issued and operator(s) performing the work.

This Hydraulic Project Approval does not authorize trespass.

The person(s) to whom this Hydraulic Project Approval is issued and operator(s) performing the work may be held liable for any loss or damage to fish life or fish habitat that results from failure to comply with the provisions of this Hydraulic Project Approval.

Failure to comply with the provisions of this Hydraulic Project Approval could result in a civil penalty of up to one hundred dollars per day and/or a gross misdemeanor charge, possibly punishable by fine and/or imprisonment.

All Hydraulic Project Approvals issued under RCW 77.55.021 are subject to additional restrictions, conditions, or revocation if the Department of Fish and Wildlife determines that changed conditions require such action. The person(s) to whom this Hydraulic Project Approval is issued has the right to appeal those decisions. Procedures for filing appeals are listed below.

MINOR MODIFICATIONS TO THIS HPA: You may request approval of minor modifications to the required work timing or to the plans and specifications approved in this HPA unless this is a General HPA. If this is a General HPA you must use the Major Modification process described below. Any approved minor modification will require issuance of a letter documenting the approval. A minor modification to the required work timing means any change to the work start or end dates of the current work season to enable project or work phase completion. Minor modifications will be approved only if spawning or incubating fish are not present within the vicinity of the project. You may request subsequent minor modifications to the required work timing. A minor modification of the plans and specifications means any changes in the materials, characteristics or construction of your project that does not alter the project's impact to fish life or habitat and does not require a change in the provisions of the HPA to mitigate the impacts of the modification. If you originally applied for your HPA through the online Aquatic Protection Permitting System (APPS), you may request a minor modification through APPS. A link to APPS is at <http://wdfw.wa.gov/licensing/hpa/>. If you did not use APPS you must submit a written request that clearly indicates you are seeking a minor modification to an existing HPA. Written requests must include the name of the applicant, the name of the authorized agent if one is acting for the applicant, the APP ID number of the HPA, the date issued, the permitting biologist, the requested changes to the HPA, the reason for the requested change, the date of the request, and the requestor's signature. Send by mail to: Washington Department of Fish and Wildlife, PO Box 43234, Olympia, Washington 98504-3234, or by email to HPAapplications@dfw.wa.gov. You should allow up to 45 days for the department to process your request.



HYDRAULIC PROJECT APPROVAL

Washington Department of
Fish & Wildlife
PO Box 43234
Olympia, WA 98504-3234
(360) 902-2200

Issued Date: April 26, 2018
Project End Date: February 15, 2023

Permit Number: 2018-6-177+01
FPA/Public Notice Number: N/A
Application ID: 14375

MAJOR MODIFICATIONS TO THIS HPA: You may request approval of major modifications to any aspect of your HPA. Any approved change other than a minor modification to your HPA will require issuance of a new HPA. If you originally applied for your HPA through the online Aquatic Protection Permitting System (APPS), you may request a major modification through APPS. A link to APPS is at <http://wdfw.wa.gov/licensing/hpa/>. If you did not use APPS you must submit a written request that clearly indicates you are requesting a major modification to an existing HPA. Written requests must include the name of the applicant, the name of the authorized agent if one is acting for the applicant, the APP ID number of the HPA, the date issued, the permitting biologist, the requested changes to the HPA, the reason for the requested change, the date of the request, and the requestor's signature. Send your written request by mail to: Washington Department of Fish and Wildlife, PO Box 43234, Olympia, Washington 98504-3234. You may email your request for a major modification to HPAapplications@dfw.wa.gov. You should allow up to 45 days for the department to process your request.

APPEALS INFORMATION

If you wish to appeal the issuance, denial, conditioning, or modification of a Hydraulic Project Approval (HPA), Washington Department of Fish and Wildlife (WDFW) recommends that you first contact the department employee who issued or denied the HPA to discuss your concerns. Such a discussion may resolve your concerns without the need for further appeal action. If you proceed with an appeal, you may request an informal or formal appeal. WDFW encourages you to take advantage of the informal appeal process before initiating a formal appeal. The informal appeal process includes a review by department management of the HPA or denial and often resolves issues faster and with less legal complexity than the formal appeal process. If the informal appeal process does not resolve your concerns, you may advance your appeal to the formal process. You may contact the HPA Appeals Coordinator at (360) 902-2534 for more information.

A. INFORMAL APPEALS: WAC 220-660-460 is the rule describing how to request an informal appeal of WDFW actions taken under Chapter 77.55 RCW. Please refer to that rule for complete informal appeal procedures. The following information summarizes that rule.

A person who is aggrieved by the issuance, denial, conditioning, or modification of an HPA may request an informal appeal of that action. You must send your request to WDFW by mail to the HPA Appeals Coordinator, Department of Fish and Wildlife, Habitat Program, PO Box 43234, Olympia, Washington 98504-3234; e-mail to HPAapplications@dfw.wa.gov; fax to (360) 902-2946; or hand-delivery to the Natural Resources Building, 1111 Washington St SE, Habitat Program, Fifth floor. WDFW must receive your request within 30 days from the date you receive notice of the decision. If you agree, and you applied for the HPA, resolution of the appeal may be facilitated through an informal conference with the WDFW employee responsible for the decision and a supervisor. If a resolution is not reached through the informal conference, or you are not the person who applied for the HPA, the HPA Appeals Coordinator or designee may conduct an informal hearing or review and recommend a decision to the Director or designee. If you are not satisfied with the results of the informal appeal, you may file a request for a formal appeal.

B. FORMAL APPEALS: WAC 220-660-470 is the rule describing how to request a formal appeal of WDFW actions taken under Chapter 77.55 RCW. Please refer to that rule for complete formal appeal procedures. The following information summarizes that rule.



HYDRAULIC PROJECT APPROVAL

Washington Department of
Fish & Wildlife
PO Box 43234
Olympia, WA 98504-3234
(360) 902-2200

Issued Date: April 26, 2018
Project End Date: February 15, 2023

Permit Number: 2018-6-177+01
FPA/Public Notice Number: N/A
Application ID: 14375

A person who is aggrieved by the issuance, denial, conditioning, or modification of an HPA may request a formal appeal of that action. You must send your request for a formal appeal to the clerk of the Pollution Control Hearings Boards and serve a copy on WDFW within 30 days from the date you receive notice of the decision. You may serve WDFW by mail to the HPA Appeals Coordinator, Department of Fish and Wildlife, Habitat Program, PO Box 43234, Olympia, Washington 98504-3234; e-mail to HPAapplications@dfw.wa.gov; fax to (360) 902-2946; or hand-delivery to the Natural Resources Building, 1111 Washington St SE, Habitat Program, Fifth floor. The time period for requesting a formal appeal is suspended during consideration of a timely informal appeal. If there has been an informal appeal, you may request a formal appeal within 30 days from the date you receive the Director's or designee's written decision in response to the informal appeal.

C. FAILURE TO APPEAL WITHIN THE REQUIRED TIME PERIODS: If there is no timely request for an appeal, the WDFW action shall be final and unappealable.

Habitat Biologist	Michael.Blanton@dfw.wa.gov
Michael Blanton	360-485-8351

A handwritten signature in blue ink, appearing to read "Michael Blanton".

for Director
WDFW