



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

INTRODUCTION

Design for Bainbridge (DforB) provides guidance for applicants to successfully navigate the design review process. The design review process, standards, and guidelines are structured to support good design and a deliberate design process from context and site down to design detailing. Design review is an iterative process intended to help applicants apply relevant standards and guidelines and develop designs for the project that fit Bainbridge Island and the unique context of the site. This iterative process contains three touch points with the Design Review Board (DRB). This worksheet is used to capture design information to be presented to the DRB at each step in the iterative process.

#1 Conceptual Proposal Review Meeting

The conceptual proposal review meeting is an informal meeting between the applicant and the Design Review Board to review site-specific conditions and contextual considerations for the design of development on site. This discussion is intended to inform strategies for site planning and massing that respond sensitively to the neighborhood context.

Applicant Submittal Requirements

- See DforB pages 12 & 16

#2 Design Guidance Review Meeting

Design guidance review meetings with the Design Review Board offer guidance to potential applicants during the design process on conceptual alternatives. The purpose of the design guidance review meeting is to review how the proposed alternatives fit the surrounding context with a focus on the development's program, uses, site plan, and massing. The DRB will also consider any requested departures, the rationale for those departures and their consistency with the intent and principles of the guidelines.

Applicant Submittal Requirements

- See DforB page 13
- Initial Design for Bainbridge Worksheet (below)



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

#3 Final Design Review Meeting

At this meeting, the Board will review the application plans for compliance with Design Standards and Design Guidelines and ensure that the project reflects any revisions recommended by the Board at previous meetings. The Board will document its findings and transmit a written recommendation to the Planning Commission. The Board's recommendation may include conditions to ensure compliance with all standards.

Applicant Submittal Requirements

- See DforB page 15
- Final Design for Bainbridge Worksheet (below)

NOTE: Submittal materials should be transmitted as individual pdfs, not as one large file.



DESIGN for BAINBRIDGE WORKSHEET Bainbridge Island, Washington

PROJECT: Messenger House Phase II
PROJECT ADDRESS or PARCEL: 41560020070003
DATE: 05/03/2021
PROJECT PLANNER: Kelly Tayara
Design Review Board Meeting Dates: 06-01-20 (Conceptual); 07-06-2020 & 08-03-20 (Design Guidance); 05-03-2021 (Final)

CONTEXT ANALYSIS

- C1** ANALYZE NATURAL SYSTEMS
- C2** IDENTIFY THE EXTENT AND VALUE OF WILDLIFE HABITAT AND CORRIDORS
- C3** ASSESS UNIQUE AND PROMINENT FEATURES
- C4** CONSIDER THE DEFINING ATTRIBUTES OF THE BUILT ENVIRONMENT
- C5** ANALYZE SYSTEMS OF MOVEMENT AND ACCESS
- C6** STUDY HOW THE SITE RELATES TO AND CAN CONTRIBUTE TO THE PUBLIC REALM

Context Analysis Complete:

Yes: ☒ No: ☐

If no, required additional information:



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

SITE DESIGN STANDARDS

- S1** PROTECT AND REPAIR NATURAL SYSTEMS
- S2** PRESERVE AND ENRICH WILDLIFE HABITAT
- S3** RESPECT AND MAGNIFY UNIQUE ASPECTS OF SITE AND CONTEXT
- S4** COMPLEMENT AND CONTRIBUTE TO THE BUILT ENVIRONMENT AND LOCAL IDENTITY
- S5** FIT THE PROJECT INTO THE SYSTEMS OF ACCESS AND MOVEMENT, PRIORITIZING PEDESTRIANS AND BICYCLES
- S6** SUPPORT AND CONTRIBUTE TO A VIBRANT PUBLIC REALM

Applicant Response:

S1) The proposed new addition is located largely where the prior building was located. The grade level of the addition is set to match the existing 1917 building. Soil disturbance and impacts to the hydrological functions have been minimized by utilizing portions of the original footprint. Portions of existing paving will be removed (service drive, access lane) and replanted as new gardens. Native plantings will be used to restore wooded portions of the site. New impervious surfaces will be limited to outdoor patios and proposed relocated service access lane.

The project site has developed over the last one hundred years. While there are remnant natural areas, much of the site has been altered from its natural condition. The proposed improvements will however provide some opportunities to enhance the existing conditions. Currently most of the onsite water is discharged directly to Puget Sound. Proposed LID strategies will investigate increased ability to infiltrate on site. One strategy is to enlarge and restore rain garden along the lower east frontage. The site has multiple mature trees, particularly in the main east facing open spaces. We are assessing the health of these trees and if any will be placed at risk from proposed new footprint. The footprint is primarily located to overlap with the wing it is replacing. The building form has multiple orientations to take advantage of views, shape outdoor spaces and break the building into multiple forms. The building will be able to take advantage of solar access, providing for solar gain for residential units and photovoltaic rooftop arrays. The outdoor spaces are located to get solar access depending on time of day (morning, mid-day, afternoon).



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

S2) The site has several large, wooded areas which can be restored with native planting to improve habitat capacity and enhanced infiltration. No new fencing is proposed at project perimeter and none currently exists.

The existing natural areas will be maintained and enhanced with native vegetation.

S3) The site has the look and feel of a large park due to mature trees and expansive lawn and woodland areas. This is one of the defining characteristics of the site and one of its key assets for both neighbors and residents. The site, located on an east facing slope, also enjoys unobstructed views of Puget Sound. The site has a well know history as the Moran School, and still retains the original 1917 School Building, which overlooks the main lawn area. The building will be restored as part of the new project. The open space will be improved as a shared use space for both residents and the neighborhood.

The site has several unique attributes, perhaps most the most significant being its long history. The original school building is existing and will continue to feature prominently on the site. The proposed work will include restoring portions of the exterior, particularly the east facing façade where the existing addition will be removed. Another feature is the dramatic parklike with its views to Puget Sound. The site design will preserve the parklike setting and enhance its accessibility for residents and neighbors.

S4) The new project will continue to sustain the sense of place which has characterized the site for over 100 years. The Old theater, which was recently demolished due to years of neglect, helped define the large open space with its three-story façade. The proposed new addition seeks to recall the scale of the theater and continue its role in shaping the open space, as viewed by the public. The intent is to break the new wing into multiple masses, similar in scale to the original theater. The overall composition will be comprised of multiple building segments appearing as something which has grown over time. Each segment is further broken-down using changes in materials, glazing patterns, and offsets. Perhaps most importantly, the new addition is not meant to compete with original architecture and its role should be a quiet backdrop to the grand open spaces.

The proposed design replaces the existing assisted living wing. The addition will express itself as distinct from the historic 1917 building and will not attempt to copy it. To achieve this delicate fit, the new wing is separated by a glass pavilion, where the visitors will arrive. The residential portions of the new wing, are a new interpretation of the older Mediterranean architecture, expressed with simple solid massing, vertically composed windows, and smooth cement surfaces, to emulate the stucco facades. The building is carefully broken into discrete wings, each with a specific orientation with existing or historic forms. The building materials also express the internal uses



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

(residential vs common). The main common area is positioned to take advantage of views to Seattle skyline and aligns with the orientation of the Old Theater Building. Lastly the overall building shape helps shape a variety of outdoors spaces while breaking up the overall building massing.

S5) The primary access to the facility will be from the west using NE ocean Drive. New entry signage will be added to make the point of access more apparent (there is no signage at present). The new entry to the Assisted
490 Madison Ave. N., Suite 105 ♦ Bainbridge Island, WA 98110 ♦ 206.780.6882 ♦
www.wenzlauarchitects.com

Living wing will be co-located with the existing Memory Care entry and porte-cochere. This will become the main entry for vehicular drop and for visitor/resident parking. Additional outdoor spaces will be placed to overlook the large east facing open space. A smaller more contemplative garden will be on the west side where the service ramp is being removed. A network of accessible pathways will be created around the new wing to encourage walking and interactions. A shared gathering space for residents and neighbors is proposed at the main open space frontage along Manitou Park Blvd. No new parking is proposed.

S6) While the west facing entry is the formal public entry, the true public face is to the east as viewed from the Manitou Park neighborhood. This open space has been a neighborhood asset for decades. A pergola set near the street edge will serve as a meeting place as well as an informal boundary between the public street and semi-private gardens to ensure safety. Where the west entry side is defined by its expansive parking (all existing), the east side is free of vehicles. This open space will be programed to support a variety of activities, ranging from passive (sitting and strolling) to active (yoga, art, etc.). There will be several entries facing the park which would be accessible to residents, adding life to the park areas.

Although the site is not located in town, it still projects a civic quality, primarily due to the large parklike setting residents have enjoyed for decades. As described above, the intent is to maintain and enhance the park and continue the legacy of the site as a public institution. The landscape design along Manitou Park Blvd. is the most prominent public interface for the neighborhood and will be improved to promote opportunities for interaction between neighbors and residents alike.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

DRB Discussion:

S1) This standard has been met. All new lights will conform to city code dark sky standards. If there is any existing lighting, suggestions will be made to conform to dark sky standards. See Landscape section comments.

S2) This standard has been met. See Landscape section comments.

S3) This standard has been met. The building has 4 different contexts: historical, entry & main visitor approach, campus, and residential neighborhood. The building is a huge mass but needs to relate to all of these different contexts. The historical and entry are covered well. The campus context is mixed, good and not so good. The residential context is the weakest portion. The restoration of the park will be an asset to the neighborhood and public. See comments in Building Design section.

S4) This standard has been met. The architect has worked hard with the neighbors to achieve a balance. Preserving east-facing open space is important.

S5) This standard has been met. Appreciate that the owner continues to allow public to use trail around the property. Prioritizing pedestrians is also appreciated.

S6) This standard has been met. The park is part of the public realm. There is a public presence in the lobby. Doing a good job of setting up spaces for people to visit with relatives.

DRB Findings:

S1-S6 standards have been met.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

PUBLIC REALM STANDARDS

- P1** CREATE A SAFE AND COMFORTABLE ENVIRONMENT FOR WALKING AND CYCLING
- P2** MINIMIZE IMPACT OF VEHICLES ON THE PUBLIC REALM
- P3** DESIGN TO SUPPORT A LEDGIBLE HEIRARCHY OF PUBLIC SPACES
- P4** STRENGHTEN PUBLIC SPACE CONNECTIONS
- P5** DRAW FROM AND ENHANCE EXISTING BLOCK PATTERNS
- P6** FOSTER INTEREST AND ACTIVITY ALONG COMMERCIAL STREETS

Applicant Response:

P1) The pedestrian network is established by a series of connected of accessible walking paths. The paths will link from the public street edge (Manitou Park) through the open spaces, linking outdoor spaces at the base of the new addition. The sitting area, set along the street edge, has the potential to serve as an informal public meeting place, where neighbors can meet their new neighbors.

P2) There will be no new parking added to the project. The service access is currently located in a prominent position, highly visible from the current and proposed entry. The service access and related service area will be relocated to minimize its visibility.

P3) The new project will evoke the prior assemblage of buildings which have occupied the hillside over 100 years. The Old theater, which was recently demolished due to years of neglect, helped define the large open space with its three-story façade. The proposed new addition seeks to recall the scale and presence of the theater and continue its role in shaping the open space, as viewed by the public.

P4) While the west facing entry is the formal public entry, the true public face is to the east as viewed from the Manitou Park neighborhood. This open space has been a neighborhood asset for decades. A pergola set near the street edge will serve as a meeting place as well as an informal boundary between the public street and semi-private gardens to ensure safety.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

P5) The new project will evoke the prior assemblage of buildings which have occupied the hillside over 100 years. The Old theater, which was recently demolished due to years of neglect, helped define the large open space with its three-story façade. The proposed new addition seeks to recall the scale and presence of the theater and continue its role in shaping the open space, as viewed by the public. The intent is to break the new wing into multiple masses, similar in scale to the original theater.

P6) The guideline is non-applicable since the project does not contain commercial uses and is not along a commercial street. However, some of the common areas will be located on the lower floors to help activate outdoor spaces. The upper floor common areas will project out to the east and overlook the park spaces and Puget Sound.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

DRB Discussion:

P1) This standard has been met. Project is allowing safe walking, bicycling.

P2) This standard has been met. Looking to the city to put no parking signs on Manitou Beach. The shoulder will also be reduced to discourage parking. With the removal of eastern propane tanks, all service deliveries are focused on the loading dock area on the west. Restrict all deliveries to Ocean View only.

P3) This standard has been met. Different scales and uses of public space have been addressed.

P4) This standard has been met. We support the notion of the pergola as an integral part of the public space.

P5) This standard has been met. The site already had some of the qualities prior to the project and the project is enhancing these.

P6) This standard is not applicable to this project.

DRB Findings:

The project meets standards P1-P5 and P6 is not applicable to this project.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

BUILDING DESIGN STANDARDS

- B1** EXPRESS A CLEAR ORGANIZING ARCHITECTURAL CONCEPT
- B2** USE AN ARCHITECTURAL LANGUAGE APPROPRIATE TO BAINBRIDGE ISLAND
- B3** CREATE WELL COMPOSED FACADES AT ALL SCALES
- B4** CELEBRATE AND PROMINENTLY FEATURE SUSTAINABLE DESIGN
- B5** USE HIGH QUALITY MATERIALS AND WELL-CRAFTED DETAILS

Applicant Response:

B1) The site plan has evolved over the decades and transformed itself from a Boys school, to an officer's school to a health care facility. The current site plan is an amalgamation of these uses as they have evolved over time. Presently, the site has two wings which radiate from the last vestige of the original use, the 1917 building. While the proposed addition largely follows the footprint of the current wing, its form is shaped to take advantage of the existing contours and shape outdoor spaces. The architectural concept uses a simple palette of contemporary northwest materials (wood, metal, cement) while emulating the scale and proportions of adjacent buildings on site (three story with parapet). The internal common area uses are positioned in relationship to the site planning/outdoor spaces (site entry, north and south terraces) and are also expressed architecturally with extensive glazing.

B2) While the new building will be reflective of its time, it will take cues from the original 1917 building, and its Mediterranean style. The shared elements include a formal fenestration where window groupings are aligned, and the windows share vertical proportions. The materials will emulate the plaster aesthetic by using coursed cement board. The proposed roof line is flat to match the original buildings. The common areas will be modern in character acting as transparent glazed screens in contrast to more solid portions housing the residences. The entry porte-cochere will be remodeled to be complementary to the newer architecture. See multiple other guidelines for supporting information.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

B3) The facades of the addition are composed to form a balanced composition with the original 1917 building. The façade is broken into discrete segments, forming a pattern of solid (plaster)-void (glass)-solid (plaster). The glazing is expressed in relationship to the internal program, with expansive glass used at common areas, and more discrete openings at individual living units. The formal fenestration will emulate the older building, while the more modern sections open to the view and light. The building materials are related to the building massing to present a coherent graphic when viewed from afar. Detailing will include window fenestration, metal balconies, and expressed structural members at outdoor porches. Mechanical and trash facilities will be screened from public view.

B4) The existing 1917 building and 1996 memory care portions will be re-used/remodeled. The buildings will seek green building certification (BUILT Green or similar) and will be constructed with a high-performance envelope, that will maximize natural lighting, and natural ventilation. Management of direct sunlight (particularly west facing façade) will be mitigated by use of deciduous trees. Specific sustainability strategies have not been established at this time.

B5) The exterior materials will include cement panels, metal windows and curtain walls, and exposed structural elements (wood and steel) at covered outdoor areas. In keeping with the Mediterranean style and its emphasis on simple overall forms, the window openings will be the main feature on facades. The detailing will express the transitions between materials versus relying on trim boards.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

DRB Discussion:

B1) This standard has been met. Within the landscape and building, there is a clear concept. It would be desirable to have the windows align with the corridors and should have a view out.

B2) This standard has been met. The building has 4 different contexts: historical, entry & main visitor approach, campus, and residential neighborhood. The landscape portion is nice. The campus massing looks much larger than it really is, look at using colors and materials to reduce visual massing. On the east façade the terrace seems to have a 4-5' concrete wall. The landscaping can help soften this. On the SE corner, look for an alternate material color.

B3) This standard has been met.

B4) This standard has been met. The volume height has been lowered as per previous meeting discussions. Sheet A3.02 drawing will be revised to show this change.

B5) This standard has been met. The glass railings could be problematic to how they relate to the façade changes. The view through the glass railing could be blocked by equipment. It might be nice to have planters on the terraces.

DRB Findings:

The project has met B1-B5 standards.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

LANDSCAPE STANDARDS

- L1** INTEGRATE THE LANDSCAPE CONCEPT TO COMPLEMENT THE ARCHITECTURAL CONCEPTS
- L2** SUPPORT THE PUBLIC REALM WITH THE LANDSCAPE DESIGN
- L3** INTEGRATE SUSTAINABLE FEATURES INTO THE LANDSCAPE AND MAKE THEM VISIBLE WHEREVER POSSIBLE
- L4** INTEGRATE AND HIGHLIGHT GREEN INFRASTRUCTURE PRACTICES
- L5** SUPPORT HEALTHY HABITAT IN THE LANDSCAPE
- L6** PRESERVE AND ENHANCE IMPORTANT VIEWS AND VIEW CORRIDORS

Applicant Response:

L1) The east facing park will be the foreground to the redesigned facility. Like an old hotel, the building will have terraces overlooking the park, integrating the building with the landscape. Other garden features, including the pergolas, will provide a shared architectural language, blending the building with the land. The site benefits from multiple mature plantings which have been retained in the new plan.

L2) The landscape plan will provide a network of pathways linking outdoor spaces throughout the site. The most likely public face is to the east where the park meets the existing residential neighborhood. A shared use space with pergola will provide a meeting place encouraging interaction. The open space has historically been visually connected to the street since there is no fence or perimeter screening. We believe this is a quality that is valued and should be maintained.

L3) The site has several wooded areas which will make a good opportunity to enhance the native landscape, infiltrations and habitat restoration. The site plan will limit lawn areas to those which support the historic open space to the east of the facility. Most of the trees are existing, although the restored areas may see additional tree plantings.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

L4) The existing stormwater allows water to be treated and discharged to the Sound. New impervious areas may require on-site infiltration, within a raingarden. No new parking areas are planned. Pervious paving will be used at new paved areas. The site appears to have open sky allowing opportunity for future photovoltaic panels.

L5) The site plan will preserve the existing mature trees and vegetation. Native plantings within wooded areas will enhance infiltration and habitat. Habitat biodiversity will be promoted through the planting of a variety of plants that are attractive to pollinators or have seeds or berries that are a food source for local birds and mammals.

L6) As described above, the buildings are composed to capture the views to Puget Sound. Most of the existing landscaping will remain unchanged. No views will be blocked by the new building.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

DRB Discussion:

L1) This project strongly met this standard.

L2) This project strongly met this standard. Appreciate allowing the public to access the property and walking trail.

L3) This standard has been met. The stormwater design will be guided by civil engineering consultant. We acknowledge that the applicant is retaining the existing landscape grass area (east lawn – is on the local historic register).

L4) This standard has been met.

L5) This standard has been met. On the north and south side, the grass park-like area will transition to shrubs and trees that are predominantly native species which will support the natural area.

L6) This standard has been met. By maintaining the landscape, the project is maintaining and possibly enhancing the view corridor. The landscape plan is sensitive to the historical context.

DRB Findings:

The project has met L1-L6 standards.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

STREET TYPES AND FRONTAGES

Street Types: State Route, Main Street, Neighborhood Main Street, Neighborhood Mixed Use, Mixed Use Arterial, Rural by Design, Green Street Rural Green Street

Applicant Response:

Not applicable

DRB Discussion:

N/A

DRB Findings:

N/A



DESIGN for BAINBRIDGE WORKSHEET Bainbridge Island, Washington

Frontages: Linear / Storefront, Landscape, Plaza, Forecourt, Stoop / Terrace, Vegetated Buffer, Parking

Applicant Response:

Not applicable

DRB Discussion:

N/A

DRB Findings:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

SUBDIVISION GUIDELINES

ISLAND CHARACTER PRESERVE AND MAINTAIN ISLAND CHARACTER

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

NEIGHBORHOOD CONTEXT TO REFLECT AND/OR ENHANCE THE CONTEXT
PROVIDED BY EXISTING ROADWAY CHARACTER AND NEIGHBORING PROPERTIES

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

NATURAL AREA TO INCORPORATE FORESTED AND/OR OTHER NATURAL AREAS INTO SITE DESIGN IN SUCH A WAY THAT ECOLOGICAL AND AESTHETIC INTERGRITY, QUALITIES, AND VALUES ARE PRESERVED OR RESTORED

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

NATURAL SITE CONDITIONS TO PRESERVE AND INTEGRATE EXISTING NATURAL SITE PATTERNS AND FEATURES THROUGHOUT THE SITE

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

HISTORIC AND CULTURAL RESOURCES TO PRESERVE IMPORTANT HISTORIC
AND CULTURAL RESOURCES

Applicant Response:

DRB Discussion:
N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

STORMWATER INTEGRATE STORMWATER FACILITIES IN SITE DESIGN WITH
EMPHASIS ON INFILTRATION AND DISPERSION PRACTICES

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

SEPTIC SYSTEMS TO MINIMIZE IMPACT OF SEPTIC FACILITIES

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET Bainbridge Island, Washington

WATER CONSERVATION TO PROTECT THE ISLAND'S FINITE GROUNDWATER RESOURCES AND ADAPT TO THE IMPACTS OF A CHANGING CLIMATES

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

COMMUNITY SPACE TO PROMOTE A SHARED SENSE OF COMMUNITY

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

CLUSTER HOMESITES TO PROMOTE INTERACTION WITHIN THE COMMUNITY AND FACILITATE THE EFFICIENT USE OF LAND BY REDUCING DISTURBED AREAS, IMPERVIOUS SURFACES, UTILITY EXTENSIONS AND ROADWAYS

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET Bainbridge Island, Washington

SOLAR ACCESS TO PROVIDE SOLAR ACCESS FOR WELLBEING AND ENERGY PRODUCTION

Applicant Response:

DRB Discussion:
N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

ACCESS AND CIRCULATION TO PROVIDE A PRACTICAL AND PLEASANT NETWORK
OF MULTI-MODAL CIRCULATION

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET Bainbridge Island, Washington

MOTOR VEHICLES TO MINIMIZE THE PROMINENCE OF MOTOR VEHICLE USE AND STORAGE

Applicant Response:

DRB Discussion:
N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

HOMESITE DESIGN TO EFFICIENTLY CONFIGURE BUILDING FOOTPRINT(S) AND
ALLOWED USES WITHIN A HOMESITE

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

DIVERSITY IN HOUSE DESIGN TO PROVIDE A RANGE OF HOME SIZES AND DESIGNS TO ACHIEVE DIVERSITY IN VISUAL APPEARANCE AND AFFORDABILITY

Applicant Response:

DRB Discussion:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

FACING PUBLIC STREETS TO REINFORCE NEIGHBORLINESS OF HOMES ALONG A
PUBLIC STREET

Applicant Response:

DRB Discussion:

N/A

DRB Findings:

N/A



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

LARGER SITES

STANDARD1 DESIGN THE SITE BY CLUSTERING BUILDINGS AND ARRANGING THEM WITH FRONTAGES ON PUBLIC STREETS, PUBLIC SPACES, OR OPEN SPACE.

STANDARD2 DESIGN SITES TO MINIMIZE THE VISUAL IMPACT OF PARKING ON THE PUBLIC REALM.

Applicant Response:

Standard 1)

Proposed new building addition faces onto public street and primary site open spaces.

Standard 2)

Parking is existing and is located behind buildings as viewed from public way.

DRB Discussion:

Standard 1)

N/A

Standard 2)

No parking is being added. By maintaining historic nature of the property and by reducing shoulder and parking on Manitou Beach Blvd NE, they have met this standard.

DRB supports standard P2 "MINIMIZE IMPACT OF VEHICLES ON THE PUBLIC REALM".

The street is very narrow and is unsafe with cars parked on the shoulder.

DRB Findings:

Larger Site Standard 1 and Standard 2 have been met.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

HISTORIC PLACES

- STANDARD1** DESIGN THE SITE, BUILDING(s), AND LANDSCAPE TO BE COMPATIBLE WITH HISTORIC BUILDINGS WITHOUT DIRECTLY MIMICKING HISTORIC ARCHITECTURAL STYLES.
- STANDARD2** MAINTAIN THE HISTORIC INTEGRITY OF BUILDINGS OVER 50 YEARS OLD LISTED OR ELIGIBLE FOR THE NATIONAL OR LOCAL REGISTER OF HISTORIC PLACES.

Applicant Response:

Standard 1)

The new building will complement the existing 1917 building by visually separating the new building with a glass link. The facade of the new building will capture the simple formal language of its predecessor, without copying it. Material choices will be complementary (color and texture) but not identical. The new addition will feature a glass enclosed wing to celebrate the common areas and their connection to the landscape and views. The historic open space and 1917 building will be maintained intact. Limited exterior repair will be made to the historic building consistent with its original design.

Standard 2)

Limited exterior repair will be made to the historic building consistent with its original design.



DESIGN for BAINBRIDGE WORKSHEET Bainbridge Island, Washington

DRB Discussion:

Standard 1)

In meeting the Secretary of Interior standards, this project meets this standard.

Standard 2)

By working with the Historic Preservation Commission, the building, east lawn, day hall and caretaker's cottage are on the historic register and therefore this project meets this standard.

DRB Findings:

Project meets Historic Places Standard 1 and Standard 2.



DESIGN for BAINBRIDGE WORKSHEET

Bainbridge Island, Washington

CIVIC USES

STANDARD1 DESIGN CIVIC USES AND SITES TO REFLECT AND CONTRIBUTE TO THEIR FUNCTION AND ROLE IN THE COMMUNITY WHILE BEING CLEARLY IDENTIFIABLE AS A CIVIC USE.

STANDARD2 DESIGN CIVIC SITES AND BUILDINGS TO SERVE MULTIPLE FUNCTIONS SUCH AS PUBLIC SPACE, COMMUNITY GATHERINGS, PUBLIC ART, AND OTHER COMPATIBLE USES.

Applicant Response:

Standard 1)
Not applicable

Standard 2)
Not applicable

DRB Discussion:

Standard 1)
N/A

Standard 2)
N/A

DRB Findings:

N/A



DESIGN for BAINBRIDGE WORKSHEET Bainbridge Island, Washington

This project is recommended for:

Approval ☐

Approval with the following condition(s): ☒

- DRB recommends that existing park lot lighting be assessed and made compliant with existing code lighting standards, if needed.
- Provide revised sheet A3.02
- Recommend no parking on Manitou Park Blvd NE
- Require the footpath be separate from the driving surface on Ocean View Dr - a grade-separated path.
- Recommend that no delivery vehicles use Manitou Park Blvd NE or Mountain View Rd, restricted use to Ocean View Dr.

Denial with the following deficiencies: ☐

SIGNATURE:



Joseph Dunstan, Chair

DATE: 05/03/2021