

Peter Best

From: Annie Hillier
Sent: Thursday, February 20, 2020 3:46 PM
To: Carla Lundgren; David Greetham
Subject: RE: [Permit #PLN50280C SSDP]

My thought would be no, this is a scrivener's error and doesn't impact the comment period. A note can be made in the staff report to the hearing examiner. But Dave can say for sure 😊 ●

From: Carla Lundgren <clundgren@bainbridgewa.gov>
Sent: Thursday, February 20, 2020 3:41 PM
To: David Greetham <dgreetham@bainbridgewa.gov>; Annie Hillier <ahillier@bainbridgewa.gov>
Subject: FW: [Permit #PLN50280C SSDP]

Does this project have to be renoticed now?



Carla Lundgren

Administrative Specialist

www.bainbridgewa.gov

facebook.com/citybainbridgeisland/

206.780.3763

Planning and Community Development service hours:

- Walk-in customers: 8 a.m. - 12 p.m. Monday-Friday
- Appointments: 8 a.m. – 3 p.m. Monday-Friday

Appointments may be scheduled here: [Planning and Building Submittal Appointment Calendar](#)

From: PCD <pcd@bainbridgewa.gov>
Sent: Thursday, February 20, 2020 12:14 PM
To: Carla Lundgren <clundgren@bainbridgewa.gov>; David Greetham <dgreetham@bainbridgewa.gov>
Subject: FW: [Permit #PLN50280C SSDP]



Jane Rasely

Administrative Specialist

www.bainbridgewa.gov

facebook.com/citybainbridgeisland/

206.780.3758 (office) 206.780.5104

Planning and Community Development Service Hours

- Walk-in customers: 8 a.m. - 12 p.m. Monday-Friday

- Appointments: 8 a.m. – 3 p.m. Monday-Friday

Appointments may be scheduled here: [Planning and Building Submittal Appointment Calendar](#)

From: Spaulding, Rick <Rick.Spaulding@ManTech.com>

Sent: Thursday, February 20, 2020 11:30 AM

To: PCD <pcd@bainbridgewa.gov>

Subject: [Permit #PLN50280C SSDP]

Please check the date listed on the attached under Date Complete. I believe the Dec 4, 2020 date is in error and it should be 2019.

Thanks,

Rick

Rick Spaulding, CWB

ManTech International Corp.

Sr. Biologist/Project Manager

6765 NE Day Rd.

Bainbridge Island, WA 98110

206-855-4997 (office) primary

206-890-2400 (cell)