

LYTLE

ROAD

NE

PAVEMENT

EDGE

ELE. 52

ELE. 50

ELE. 49

ELE. 49

ELE. 47 1/2

ELE. 47 1/2

SLEEVED WATER-LINE
FOLLOWS
PROPERTY LINE

REVISED:
9/14/2020

DRIVEWAY

65.69'

0 F

* NOTE:

IF THE TANKS ARE LOCATED
BENEATH THE DRIVEWAY OR
PARKING AREA SURFACES, THEY
MUST BE SPECIALLY REINFORCED
FOR THIS PURPOSE AND ALL LIDS
MUST BE SURROUNDED BY STEEL
COLLARS W/ MANHOLE COVERS.

MANHOLES & COLLARS MUST
BE AT LEAST 30" IN
DIAMETER. IN ORDER TO
ACCESS THE 24" DIAMETER
RISERS OVER THE SEPTIC
TANK LIDS.

131.59' RADIUS

ELE. 41

ELE. 44

KEY:

- (1) = 1150 GALLON, CONCRETE, 2 COMPARTMENT, SEPTIC TANK W/ SCREENED OUTLET BAFFLE (*)
- (2) = 1250 GALLON, CONCRETE, PUMP TANK W/5' PVC PUMP VAULT*
- (3) = 2" SCHEDULE 40 PVC TRANSPORT PIPE

SCALE: 1 INCH = 10 FEET

SEASONAL

NOTE:
THE RESERVE DRAIN FIELD
AREA IS LOCATED ON AN EASE-
MENT ON THE ADJACENT LOT
TO THE NORTH, AS PER
THE ORIGINAL
APPLICATION.

2 BEDROOM
RESIDENCE
(FOUNDATION - AS STAKED)
CANTILEVER
CANTILEVER

SL 2

(A)

SL 1

ELE. 48

ELE. 47 1/2

27" MAPLE


12" CHERRY

ELE. 42 1/2

FENCE LINE

FENCE

ELE. 42



Stream

(A) = 11' X 41' CONCRETE,
BOTTOMLESS SAND FILTER,
RECEPTACLE
[110' X 40' INTERIOR DIMENSIONS]

65.00

ELE. 40

ELE. 42

LYTLE

ELE. 52

ROAD

NE

PAVEMENT

EDGE

ELE. 50

REVISED:

9/14/2020

* NOTE:

IF THE TANKS ARE LOCATED BENEATH THE DRIVEWAY OR PARKING AREA SURFACES, THEY MUST BE SPECIALLY REINFORCED FOR THIS PURPOSE AND ALL LIDS MUST BE SURROUNDED BY STEEL COLLARS W/ MANHOLE COVERS.

MANHOLES & COLLARS MUST BE AT LEAST 30" IN DIAMETER, IN ORDER TO ACCESS THE 24" DIAMETER RISERS OVER THE SEPTIC TANK LIDS.

DRIVEWAY

65.69'

ELE. 49

ELE. 49

ELE. 47 1/2

ELE. 47 1/2

SLEEVED WATER-LINE FOLLOWS PROPERTY LINE

5'

ELE. 48

SL 2

(A)

ELE. 47 1/2

SL 1

6'

(2)

(3)

CANTILEVER

10'

2 BEDROOM
RESIDENCE
(FOUNDATION - AS STAKED)

CANTILEVER

NOTE:

THE RESERVE DRAIN FIELD AREA IS LOCATED ON AN EASEMENT ON THE ADJACENT LOT TO THE NORTH, AS PER THE ORIGINAL APPLICATION.

WETLAND
FLAG

12"
CHERRY

ELE. 42 1/2

140.83'

27"
MAPLE

FENCE LINE

ELE. 41

SCALE: 1 INCH = 10 FEET

KEY:

(1) =

1150 GALLON, CONCRETE, 2 COMPARTMENT, SEPTIC TANK, W/ SCREENED OUTLET BAFFLE (*)

(2) =


1250 GALLON, CONCRETE, PUMP TANK W/ 5' PVC PUMP VAULT*

(3) =

2" SCHEDULE 40 PVC TRANSPORT PIPE

(A) =

11' X 41' CONCRETE, BOTTOMLESS SAND FILTER, RECEPTACLE [110' X 40' INTERIOR DIMENSIONS]



FENCE

ELE. 42

ELE. 40

65.00

131.59' RADIUS

WELL

100'

30'

30'

Stream